

**VOVOX® Pro Audio**

**Stand 08/2020**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 16% VAT/MwSt.
<b>VOVOX Pro Audio Analog Cables</b>								
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX link direct S (balanced, non-shielded)</b>								
6.0901	VOVOX link	direct S	100 cm	3.3 ft	XLRf	XLRm	59	68
6.0913	VOVOX link	direct S	100 cm	3.3 ft	TRS	XLRm	59	68
6.0914	VOVOX link	direct S	100 cm	3.3 ft	XLRf	TRS	59	68
6.0915	VOVOX link	direct S	100 cm	3.3 ft	TRS	TRS	59	68
6.0909	VOVOX link	direct S	200 cm	6.6 ft	XLRf	XLRm	75	87
6.0910	VOVOX link	direct S	200 cm	6.6 ft	TRS	XLRm	75	87
6.0916	VOVOX link	direct S	200 cm	6.6 ft	XLRf	TRS	75	87
6.0917	VOVOX link	direct S	200 cm	6.6 ft	TRS	TRS	75	87
6.0902	VOVOX link	direct S	350 cm	11.5 ft	XLRf	XLRm	99	115
6.0911	VOVOX link	direct S	350 cm	11.5 ft	TRS	XLRm	99	115
6.0918	VOVOX link	direct S	350 cm	11.5 ft	XLRf	TRS	99	115
6.0919	VOVOX link	direct S	350 cm	11.5 ft	TRS	TRS	99	115
6.0903	VOVOX link	direct S	500 cm	16.4 ft	XLRf	XLRm	119	138
6.0912	VOVOX link	direct S	500 cm	16.4 ft	TRS	XLRm	119	138
6.0904	VOVOX link	direct S	750 cm	24.6 ft	XLRf	XLRm	159	184
6.0905	VOVOX link	direct S	1000 cm	32.8 ft	XLRf	XLRm	195	226
6.0906	VOVOX link	direct S	2x 500 cm **	2x 16.4 ft **	XLRf	XLRm	255	296
6.0907	VOVOX link	direct S	2x 750 cm **	2x 24.6 ft **	XLRf	XLRm	329	382
6.0908	VOVOX link	direct S	2x 1000 cm **	2x 32.8 ft **	XLRf	XLRm	399	463
<b>VOVOX sonorus direct S (balanced, non-shielded)</b>								
6.3301	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	XLRm	75	87
6.3313	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	XLRm	75	87
6.3314	VOVOX sonorus	direct S	100 cm	3.3 ft	XLRf	TRS	75	87
6.3315	VOVOX sonorus	direct S	100 cm	3.3 ft	TRS	TRS	75	87
6.3309	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	XLRm	99	115
6.3310	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	XLRm	99	115
6.3316	VOVOX sonorus	direct S	200 cm	6.6 ft	XLRf	TRS	99	115
6.3317	VOVOX sonorus	direct S	200 cm	6.6 ft	TRS	TRS	99	115
6.3302	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	XLRm	129	150
6.3311	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	XLRm	129	150
6.3318	VOVOX sonorus	direct S	350 cm	11.5 ft	XLRf	TRS	129	150
6.3319	VOVOX sonorus	direct S	350 cm	11.5 ft	TRS	TRS	129	150
6.3303	VOVOX sonorus	direct S	500 cm	16.4 ft	XLRf	XLRm	169	196
6.3312	VOVOX sonorus	direct S	500 cm	16.4 ft	TRS	XLRm	169	196
6.3304	VOVOX sonorus	direct S	750 cm	24.6 ft	XLRf	XLRm	225	261
6.3305	VOVOX sonorus	direct S	1000 cm	32.8 ft	XLRf	XLRm	285	331
6.3320	VOVOX sonorus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	169	196
6.3321	VOVOX sonorus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	189	219
6.3306	VOVOX sonorus	direct S	2x 500 cm **	2x 16.4 ft **	XLRf	XLRm	349	405
6.3307	VOVOX sonorus	direct S	2x 750 cm **	2x 24.6 ft **	XLRf	XLRm	465	539
6.3308	VOVOX sonorus	direct S	2x 1000 cm **	2x 32.8 ft **	XLRf	XLRm	579	672

Fortsetzung folgt auf Seite 2

**VOVOX® Pro Audio**

**Stand 08/2020**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 16% VAT/MwSt.
<b>Balanced Cables, Non-Shielded</b>								
<b>VOVOX excelsus direct S (balanced, non-shielded)</b>								
6.8101	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	XLRm	219	254
6.8113	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	XLRm	219	254
6.8114	VOVOX excelsus	direct S	100 cm	3.3 ft	XLRf	TRS	219	254
6.8115	VOVOX excelsus	direct S	100 cm	3.3 ft	TRS	TRS	219	254
6.8109	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	XLRm	299	347
6.8110	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	XLRm	299	347
6.8116	VOVOX excelsus	direct S	200 cm	6.6 ft	XLRf	TRS	299	347
6.8117	VOVOX excelsus	direct S	200 cm	6.6 ft	TRS	TRS	299	347
6.8102	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	XLRm	419	486
6.8111	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	XLRm	419	486
6.8118	VOVOX excelsus	direct S	350 cm	11.5 ft	XLRf	TRS	419	486
6.8119	VOVOX excelsus	direct S	350 cm	11.5 ft	TRS	TRS	419	486
6.8103	VOVOX excelsus	direct S	500 cm	16.4 ft	XLRf	XLRm	539	625
6.8112	VOVOX excelsus	direct S	500 cm	16.4 ft	TRS	XLRm	539	625
6.8120	VOVOX excelsus	direct S	2x 100 cm *	2x 3.3 ft *	XLRf	XLRm	449	521
6.8121	VOVOX excelsus	direct S	2x 150 cm *	2x 4.9 ft *	XLRf	XLRm	529	614
<b>Balanced Cables, Shielded</b>								
<b>VOVOX link protect S (balanced, shielded)</b>								
6.1001	VOVOX link	protect S	100 cm	3.3 ft	XLRf	XLRm	75	87
6.1013	VOVOX link	protect S	100 cm	3.3 ft	TRS	XLRm	75	87
6.1014	VOVOX link	protect S	100 cm	3.3 ft	XLRf	TRS	75	87
6.1015	VOVOX link	protect S	100 cm	3.3 ft	TRS	TRS	75	87
6.1009	VOVOX link	protect S	200 cm	6.6 ft	XLRf	XLRm	95	110
6.1010	VOVOX link	protect S	200 cm	6.6 ft	TRS	XLRm	95	110
6.1016	VOVOX link	protect S	200 cm	6.6 ft	XLRf	TRS	95	110
6.1017	VOVOX link	protect S	200 cm	6.6 ft	TRS	TRS	95	110
6.1002	VOVOX link	protect S	350 cm	11.5 ft	XLRf	XLRm	129	150
6.1011	VOVOX link	protect S	350 cm	11.5 ft	TRS	XLRm	129	150
6.1018	VOVOX link	protect S	350 cm	11.5 ft	XLRf	TRS	129	150
6.1019	VOVOX link	protect S	350 cm	11.5 ft	TRS	TRS	129	150
6.1003	VOVOX link	protect S	500 cm	16.4 ft	XLRf	XLRm	165	191
6.1012	VOVOX link	protect S	500 cm	16.4 ft	TRS	XLRm	165	191
6.1004	VOVOX link	protect S	750 cm	24.6 ft	XLRf	XLRm	219	254
6.1005	VOVOX link	protect S	1000 cm	32.8 ft	XLRf	XLRm	275	319
6.1006	VOVOX link	protect S	2x 500 cm **	2x 16.4 ft **	XLRf	XLRm	345	400
6.1007	VOVOX link	protect S	2x 750 cm **	2x 24.6 ft **	XLRf	XLRm	455	528
6.1008	VOVOX link	protect S	2x 1000 cm **	2x 32.8 ft **	XLRf	XLRm	565	655

Fortsetzung folgt auf Seite 3

**VOVOX® Pro Audio**

**Stand 08/2020**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVF EUR excl. VAT/MwSt.	SRP/UVF EUR incl. 16% VAT/MwSt.
<b>Multipair Cables</b>								
<b>VOVOX mucolink direct SD (balanced, non-shielded)</b>								
6.2214	VOVOX mucolink	direct SD	100 cm	3.3 ft	DB25	DB25	309	358
6.2202	VOVOX mucolink	direct SD	100 cm	3.3 ft	DB25	8x XLRm	389	451
6.2203	VOVOX mucolink	direct SD	100 cm	3.3 ft	8x XLRf	DB25	389	451
6.2215	VOVOX mucolink	direct SD	200 cm	6.6 ft	DB25	DB25	399	463
6.2206	VOVOX mucolink	direct SD	200 cm	6.6 ft	DB25	8x XLRm	479	556
6.2207	VOVOX mucolink	direct SD	200 cm	6.6 ft	8x XLRf	DB25	479	556
6.2216	VOVOX mucolink	direct SD	300 cm	9.9 ft	DB25	DB25	489	567
6.2210	VOVOX mucolink	direct SD	300 cm	9.9 ft	DB25	8x XLRm	569	660
6.2211	VOVOX mucolink	direct SD	300 cm	9.9 ft	8x XLRf	DB25	569	660
6.2213	VOVOX mucolink	direct SD	300 cm	9.9 ft	8x XLRf	8x XLRm	609	706
<b>VOVOX sonorus muco (balanced, non-shielded)</b>								
6.3401	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	DB25	495	574
6.3402	VOVOX sonorus	muco	100 cm	3.3 ft	DB25	8x XLRm	549	637
6.3403	VOVOX sonorus	muco	100 cm	3.3 ft	8x XLRf	DB25	549	637
6.3405	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	DB25	679	788
6.3406	VOVOX sonorus	muco	200 cm	6.6 ft	DB25	8x XLRm	735	853
6.3407	VOVOX sonorus	muco	200 cm	6.6 ft	8x XLRf	DB25	735	853
6.3409	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	DB25	865	1003
6.3410	VOVOX sonorus	muco	300 cm	9.9 ft	DB25	8x XLRm	919	1066
6.3411	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	DB25	919	1066
6.3413	VOVOX sonorus	muco	300 cm	9.9 ft	8x XLRf	8x XLRm	949	1101
<b>Interconnect Cables, Non-Shielded</b>								
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7802	VOVOX sonorus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	309	358
6.7804	VOVOX sonorus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	329	382
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8002	VOVOX excelsus	direct A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	525	609
6.8004	VOVOX excelsus	direct A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	599	695
<b>Interconnect Cables, Shielded</b>								
<b>VOVOX link protect A (unbalanced, shielded)</b>								
6.0710	VOVOX link	protect A	2x 100 cm	2x 3.3 ft	RCA	RCA	185	215
6.0711	VOVOX link	protect A	2x 200 cm	2x 6.6 ft	RCA	RCA	219	254
6.0712	VOVOX link	protect A	2x 350 cm	2x 11.5 ft	RCA	RCA	265	307
<b>VOVOX sonorus protect A (unbalanced, shielded)</b>								
6.3214	VOVOX sonorus	protect A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	309	358
6.3216	VOVOX sonorus	protect A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	329	382
<b>VOVOX excelsus protect A (unbalanced, shielded)</b>								
6.7905	VOVOX excelsus	protect A	2x 100 cm *	2x 3.3 ft *	RCA	RCA	575	667
6.7907	VOVOX excelsus	protect A	2x 150 cm *	2x 4.9 ft *	RCA	RCA	655	760

Fortsetzung folgt auf Seite 4

**VOVOX® Pro Audio**

**Stand 08/2020**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVP EUR excl. VAT/MwSt.	SRP/UVP EUR incl. 16% VAT/MwSt.
<b>VOVOX Pro Audio Digital Cables</b>								
<b>S/P-DIF Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, S/P-DIF 75 Ohm)</b>								
6.2101	VOVOX link	protect AD	100 cm	3.3 ft	RCA	RCA	109	126
6.2102	VOVOX link	protect AD	200 cm	6.6 ft	RCA	RCA	129	150
6.2103	VOVOX link	protect AD	350 cm	11.5 ft	RCA	RCA	165	191
6.2104	VOVOX link	protect AD	500 cm	16.4 ft	RCA	RCA	199	231
6.2105	VOVOX link	protect AD	750 cm	24.6 ft	RCA	RCA	255	296
6.2106	VOVOX link	protect AD	1000 cm	32.8 ft	RCA	RCA	315	365
<b>VOVOX sonorus direct A (unbalanced, non-shielded)</b>								
6.7801	VOVOX sonorus	direct A	100 cm	3.3 ft	RCA	RCA	179	208
6.7803	VOVOX sonorus	direct A	150 cm	4.9 ft	RCA	RCA	195	226
<b>VOVOX excelsus direct A (unbalanced, non-shielded)</b>								
6.8001	VOVOX excelsus	direct A	100 cm	3.3 ft	RCA	RCA	269	312
6.8003	VOVOX excelsus	direct A	150 cm	4.9 ft	RCA	RCA	309	358
<b>Wordclock Cables</b>								
<b>VOVOX link protect AD (unbalanced, shielded, Coaxial 75 Ohm)</b>								
6.2107	VOVOX link	protect AD	100 cm	3.3 ft	BNC	BNC	105	122
6.2108	VOVOX link	protect AD	200 cm	6.6 ft	BNC	BNC	129	150
6.2109	VOVOX link	protect AD	350 cm	11.5 ft	BNC	BNC	165	191
<b>AES/EBU Cables</b>								
<b>VOVOX link direct SD (balanced, non-shielded, AES/EBU 110 Ohm)</b>								
6.2001	VOVOX link	direct SD	100 cm	3.3 ft	XLRf	XLRm	59	68
6.2002	VOVOX link	direct SD	200 cm	6.6 ft	XLRf	XLRm	75	87
6.2003	VOVOX link	direct SD	350 cm	11.5 ft	XLRf	XLRm	99	115
6.2004	VOVOX link	direct SD	500 cm	16.4 ft	XLRf	XLRm	119	138
6.2005	VOVOX link	direct SD	750 cm	24.6 ft	XLRf	XLRm	155	180
6.2006	VOVOX link	direct SD	1000 cm	32.8 ft	XLRf	XLRm	195	226
<b>Multipair AES/EBU Cables</b>								
<b>VOVOX mucolink direct SD (balanced, non-shielded, AES/EBU 110 Ohm)</b>								
6.2201	VOVOX mucolink	direct SD	100 cm ***	3.3 ft ***	DB25	DB25	309	358
6.2204	VOVOX mucolink	direct SD	100 cm ***	3.3 ft ***	DB25	4x XLRf/4x XLRm	399	463
6.2205	VOVOX mucolink	direct SD	200 cm ***	6.6 ft ***	DB25	DB25	399	463
6.2208	VOVOX mucolink	direct SD	200 cm ***	6.6 ft ***	DB25	4x XLRf/4x XLRm	489	567
6.2209	VOVOX mucolink	direct SD	300 cm ***	9.9 ft ***	DB25	DB25	489	567
6.2212	VOVOX mucolink	direct SD	300 cm ***	9.9 ft ***	DB25	4x XLRf/4x XLRm	579	672
<b>LAN Cables</b>								
<b>VOVOX sonorus LAN (CAT 6.1, shielded)</b>								
6.8801	VOVOX sonorus	LAN	100 cm	3.3 ft	RJ45	RJ45	235	273
6.8802	VOVOX sonorus	LAN	200 cm	6.6 ft	RJ45	RJ45	265	307
6.8803	VOVOX sonorus	LAN	350 cm	11.5 ft	RJ45	RJ45	305	354
<b>VOVOX excelsus LAN (CAT 6.1, shielded)</b>								
6.8501	VOVOX excelsus	LAN	100 cm	3.3 ft	RJ45	RJ45	319	370
6.8502	VOVOX excelsus	LAN	200 cm	6.6 ft	RJ45	RJ45	365	423
6.8503	VOVOX excelsus	LAN	350 cm	11.5 ft	RJ45	RJ45	435	505

Fortsetzung folgt auf Seite 5

**VOVOX® Pro Audio**

**Stand 08/2020**

Item	Series	Type	Length (cm/ft)		Plug Input	Plug Output	SRP/UVp EUR excl. VAT/MwSt.	SRP/UVp EUR incl. 16% VAT/MwSt.
<b>VOVOX Pro Audio Power Supply</b>								
<b>Power Cables</b>								
<b>VOVOX sonorus power (power cord 230V for stationary audio equipment)</b>								
4.8601	VOVOX sonorus	power	100 cm	3.3 ft	SchuKo	IEC	219	254
4.8602	VOVOX sonorus	power	180 cm	5.9 ft	SchuKo	IEC	279	324
4.8603	VOVOX sonorus	power	100 cm	3.3 ft	US	IEC	219	254
4.8604	VOVOX sonorus	power	180 cm	5.9 ft	US	IEC	279	324
<b>VOVOX excelsus power (power cord 230V for stationary audio equipment)</b>								
4.8301	VOVOX excelsus	power	100 cm	3.3 ft	SchuKo	IEC	309	358
4.8302	VOVOX excelsus	power	180 cm	5.9 ft	SchuKo	IEC	379	440
4.8303	VOVOX excelsus	power	100 cm	3.3 ft	US	IEC	309	358
4.8304	VOVOX excelsus	power	180 cm	5.9 ft	US	IEC	379	440
<b>Power Strip</b>								
<b>VOVOX excelsus power distribution</b>								
9.0005	VOVOX excelsus	power distribution	42.5x8x6.5 cm	1.4x0.3x0.2 ft	IEC	6 x SchuKo	385	447

S.E.A. Vertrieb & Consulting GmbH  
Auf dem Diek 6 48488 Emsbüren Germany  
Tel +49 5903 9388-0 Fax +49 5903-9388-55

\* stereo pair / \*\* stereo pair with case / \*\*\* bi-directional  
We assume no liability for printing errors and technical changes.  
Für Druckfehler und technische Änderungen übernehmen wir keine Haftung.